
EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

PURPOSE

In this experiment, you will look at different equilibria, observe how addition or removal of components affects those equilibria and see if the results are consistent with Le Chatelier's principle.


PRINCIPLES

Any chemical reaction tends to proceed until the rate of the forward reaction becomes equal to the rate of the reverse reaction. The reaction then is said to be at equilibrium. Adding or removing a component, in an equilibrium system, will disturb the dynamic balance between two rates by forcing the forward and reverse reaction rates to become unequal. In order for the chemical system to reestablish equilibrium the concentration of all components must change. One way of predicting these concentration shifts is through the use of Le Chatelier's principle: When a stress is applied to a system at equilibrium, the system will shift in the direction that reduces the stress and a new equilibrium is established.

In this experiment, you will look at different equilibria, observe how addition or removal of components affects those equilibria and see if the results are consistent with Le Chatelier's principle.

I. Saturated Solution Equilibria

Suppose we have a solution that has been saturated with a solute: This means that the solution has already dissolved as much solute as possible. If we try to dissolve additional solute, no more will dissolve, because the saturated solution is in equilibrium with the solute:



Le Chatelier's principle is most easily seen when an ionic solute is used: Suppose we have a saturated solution of sodium chloride, NaCl. Then




will describe the equilibrium that exists. The rate ions leave the solid and go into the solution is just equal to the rate ions from the solution combine and precipitate. If $\text{Na}^+_{(aq)}$ or $\text{Cl}^-_{(aq)}$ is added to a solution saturated in $\text{NaCl}_{(s)}$, the rate at which ions combine to form a solid becomes greater than the rate at which ions dissolve. The net result is that $\text{NaCl}_{(s)}$ precipitates until the rates are again equal.

EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

II. Complex Ion Equilibria

Often, dissolved transition metal ions will react with certain molecules or ions to produce brightly colored species called complex ions. For example, if a thiocyanate (SCN^-) salt is added to a solution containing Fe^{3+} , a bright red complex ion is formed:




This is an equilibrium process that is easy to study, because we can monitor the bright red color of $[\text{Fe}(\text{SCN})^{2+}]$ as an indication of the position of the equilibrium: If the solution is very red, there is a lot of $[\text{Fe}(\text{SCN})^{2+}]$ present. If the solution is not very red, then there must be very little $[\text{Fe}(\text{SCN})^{2+}]$ present.

Using this equilibrium, we can try adding more $\text{Fe}^{3+}(\text{aq})$ or $\text{SCN}^{-}(\text{aq})$ to see what effect this has on the red color according to Le Chatelier's principle.

III. Acid/Base Equilibria

Many acids and bases exist in solution in equilibrium with their ions: This is particularly true for weak acids and bases. As an example, the weak base ammonia is involved in an equilibrium in aqueous solution



Once again, we will use Le Chatelier's principle to play around with this equilibrium. We will try adding more ammonium ion or hydrogen ion to see what happens. Since none of the components of this system is itself colored, we will be adding an acid/base indicator that changes color with hydrogen ion concentration or pH. The change in color will provide us with valuable information related to the position of the ammonia equilibrium.

EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

PROCEDURE**I. Solubility Equilibria and Common Ion Effects**

1. Obtain 5 mL of **saturated sodium chloride solution** in a test tube. This solution was prepared by adding solid NaCl to water until no more would dissolve. Then the clear solution was filtered from any undissolved solid NaCl.

Add 10-20 drops of concentrated HCL to the 5 mL solution of saturated NaCl solution.

Note: Concentrated (12M) HCl is 12 M in Cl⁻ and 12 M in H⁺


Tube	1
sat NaCl _(aq)	5 mL
Addition of HCl 12 M	10 -20 drops

Examine the test tube carefully. In your notebook and on the report form, describe what happens in terms of Le Chatelier's principle.

- 2 (a). Obtain 2 mL of **1.0 M K₂CrO₄ solution** in a test tube. Add 2 mL of distilled water and mix vigorously. Now add 6.0 M HCl drop wise (about one mL) and stir. Record your observations.

K ₂ CrO ₄ 1.0 M solution	Distilled Water	HCL 6.0 M solution
2 mL	2 mL	1 mL

The reaction you are observing is the formation of the dichromate anion according to the following equilibrium:




- 2 (b) Now add about 1 mL of 6.0 M NaOH to the test tube containing the orange solution. Record and explain your observations in terms of Le Chatelier's principle.

K ₂ CrO ₄ 1.0 M solution	Distilled Water	HCL 6.0 M solution	NaOH 6.0 M NaOH
2 mL	2 mL	1 mL	1 mL

EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

- 2 (c) Form some **BaCrO₄ precipitate** by adding a few drops of 1.0 M K₂CrO₄ to 3 mL of a 0.10 M BaCl₂.




Total Ionic Equation is:



The Net Ionic Equation illustrating the formation of the **BaCrO₄(s)** precipitate is obtained by canceling out the spectator ions.


Net Ionic Equation is:



Now add a few mL of 6.0 M HCl drop wise with stirring to the test tube containing the yellow precipitate of BaCrO₄. Record your observations and describe what happens in terms of Le Chatelier's principle.

II. Complex Ion Equilibria and Common Ion Effects

Prepare a stock sample of the bright red complex ion [Fe(SCN)²⁺] by mixing 1 mL of 0.20 M iron(III) chloride and 2 mL of 0.10 M KSCN solutions.



The color of this mixture is too intense to use as is, so dilute this mixture to 50 mL by adding about 47 mL of water.

Pour about 5 mL of the diluted red stock solution into each of five test tubes. Label the test tubes 1, 2... thru 5.

EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

Test tube 1 will be used as a standard to compare color with what will be happening in the other test tubes.

To test tube 2, add about 0.5 mL of 0.20 M FeCl₃ solution and stir.


To test tube 3, add about 1 mL of 0.10 M KSCN solution and stir.

To test tube 4, add several drops of 6.0 M NaOH and stir.

The precipitate that forms is Fe(OH)₃.

To test tube 5, add 0.10 M AgNO₃ solution drop wise until a change becomes evident.

Note: Ag⁺ ion removes SCN⁻ ion from solution as a solid (silver thiocyanate).



Tube	1	2	3	4	5
Stock Solution	5 mL	5 mL	5 mL	5 mL	5 mL
Addition	None	0.5 mL FeCl ₃ 0.20 M	1 mL KSCN 0.10 M	few drops NaOH 6.0 M	few drops AgNO ₃ 0.10 M

Describe the intensification or fading of the red color in each test tube in terms of Le Chatelier's principle.

III. Acid/Base Equilibria

Under the fume hood, prepare a dilute ammonia solution by adding 4 drops of concentrated ammonia to 100 mL of water.

Add 3 drops of phenolphthalein to the dilute ammonia solution, which will turn pink.

Place about 5 mL each of the pink dilute ammonia solution into two test tubes.

To one of the test tubes, add several small crystals of ammonium chloride.

To the other test tube, add a few drops of 12M HCl.

Tube	1	2
Stock Solution	5 mL	5 mL
Addition	A few Small crystals of NH ₄ Cl	A few drops of HCl 12 M

Describe what happens to the pink color in terms of how Le Chatelier's principle is affecting the equilibrium system.

EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

REPORT FORM

NAME: _____ Date: _____ Partner: _____

I. Solubility Equilibria and Common Ion Effects

1. Observation when concentrated HCl is added to a saturated solution of NaCl.

Indicate the stress applied, the shift in equilibrium and the concentration changes of all reagents in the new equilibrium:

Equation:	<div style="display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 60px; height: 25px; margin-right: 10px;"></div> <div style="display: flex; align-items: center; margin-right: 10px;"> \rightleftharpoons </div> <div style="border: 1px solid black; width: 60px; height: 25px; margin-right: 10px;"></div> <div style="margin-right: 10px;">+</div> <div style="border: 1px solid black; width: 60px; height: 25px;"></div> </div>
Stress:	<div style="border: 1px solid black; width: 60px; height: 25px; margin-left: auto;"></div>
Shift:	<div style="border: 1px solid black; width: 60px; height: 25px; margin-left: auto; margin-right: auto;"></div>
New Equilibrium: (Increased or decreased)	<div style="display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 60px; height: 25px; margin-right: 10px;"></div> <div style="display: flex; align-items: center; margin-right: 10px;"> \rightleftharpoons </div> <div style="border: 1px solid black; width: 60px; height: 25px; margin-right: 10px;"></div> <div style="margin-right: 10px;">+</div> <div style="border: 1px solid black; width: 60px; height: 25px;"></div> </div>

Explain in terms of Le Chatelier's principle:

EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

2.(a) Observation when HCl is added to the K_2CrO_4 solution

Write out pertinent equilibrium that illustrates what happens when HCl is added to the K_2CrO_4 solution.

Indicate the stress applied, the shift in equilibrium and the concentration changes of all reagents in the new equilibrium:

Equation:	<input style="width: 80px; height: 25px;" type="text"/> Yellow	+	<input style="width: 80px; height: 25px;" type="text"/>	\rightleftharpoons	<input style="width: 80px; height: 25px;" type="text"/> Orange	+	<input style="width: 80px; height: 25px;" type="text"/>
Stress: <input style="width: 80px; height: 25px;" type="text"/>						
Shift: <input style="width: 80px; height: 25px;" type="text"/>						
New Equilibrium: (Increased or decreased)	<input style="width: 80px; height: 25px;" type="text"/>	<input style="width: 80px; height: 25px;" type="text"/>	<input style="width: 80px; height: 25px;" type="text"/>	<input style="width: 80px; height: 25px;" type="text"/>	<input style="width: 80px; height: 25px;" type="text"/>	<input style="width: 80px; height: 25px;" type="text"/>	<input style="width: 80px; height: 25px;" type="text"/>

Explain in terms of Le Chatelier's principle what happens when HCl is added to the K_2CrO_4 solution:

EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

2 (b) Observation when NaOH is added to K_2CrO_4/HCl solution

Write out pertinent equilibrium that illustrates what happens when NaOH is added to the acidic solution of K_2CrO_4 .

Indicate the stress applied, the shift in equilibrium and the concentration changes of all reagents in the new equilibrium:


Equation:	<input style="width: 60px; height: 25px;" type="text"/> Yellow	+	<input style="width: 60px; height: 25px;" type="text"/>	\rightleftharpoons	<input style="width: 60px; height: 25px;" type="text"/> Orange	+	<input style="width: 60px; height: 25px;" type="text"/>
Stress:	<input style="width: 100px; height: 30px;" type="text"/>						
Shift:	<input style="width: 100px; height: 30px;" type="text"/>						
New Equilibrium: (Increased or decreased)	<input style="width: 60px; height: 25px;" type="text"/>	+	<input style="width: 60px; height: 25px;" type="text"/>		<input style="width: 60px; height: 25px;" type="text"/>	+	<input style="width: 60px; height: 25px;" type="text"/>

Explain in terms of Le Chatelier's principle what happens when NaOH is added to the acidic solution of K_2CrO_4 solution.


EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

- 2.(c) Observation when 6 M HCl is added to the saturated solution of BaCrO₄
Note what happens to the precipitate and any change in the color of the solution.

Before the addition of HCl, the following solubility equilibrium exists:



The addition of H⁺ (from the strong acid HCl) will combine with one of the products in the equation above:



This will have two consequences:

A. It will shift the solubility equilibrium of the BaCrO₄

Write out pertinent equilibrium that illustrates what happens when HCl is added to the solution containing the BaCrO₄ precipitate.

Indicate the stress applied, the shift in equilibrium and the concentration changes of all reagents in the new equilibrium:

Equation:	$\boxed{\phantom{\text{BaCrO}_4}} \rightleftharpoons \boxed{\phantom{\text{Ba}^{2+}}} + \boxed{\phantom{\text{CrO}_4^{2-}}}$
Stress:	$\boxed{\phantom{\text{H}^+}}$
Shift:	$\boxed{\phantom{\text{right}}}$
New Equilibrium: (Increased or decreased)	$\boxed{\phantom{\text{BaCrO}_4}} \rightleftharpoons \boxed{\phantom{\text{Ba}^{2+}}} + \boxed{\phantom{\text{CrO}_4^{2-}}}$

Explain by completing the blanks:


The concentration of the [CrO₄²⁻] is _____ the solubility equilibrium shifts to the _____ and some (or all) of the _____ precipitate dissolves.
(formula)

EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

B. It will shift the equilibrium containing the yellow CrO_4^{2-} ions and the orange $\text{Cr}_2\text{O}_7^{2-}$ ions

Write out pertinent equilibrium that illustrates what happens when HCl is added to the solution containing the yellow CrO_4^{2-} ions and the orange $\text{Cr}_2\text{O}_7^{2-}$ ions

Indicate the stress applied, the shift in equilibrium and the concentration changes of all reagents in the new equilibrium:



Stress:

Shift:.....

New
Equilibrium: + +

(Increased or decreased

Explain by completing the blanks:

The addition of H^+ ions to the yellow solution of CrO_4^{2-} (chromate) will shift the equilibrium to the _____ with the formation of the orange _____ .

EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

II. Complex Ion Equilibria and Common Ion Effects

Observation when Fe^{3+} is added to $[\text{Fe}(\text{SCN})^{2+}]$ solution containing the $[\text{Fe}(\text{SCN})^{2+}]$ in equilibrium with the Fe^{3+} and the SCN^- ions (Test Tube # 2)

Write out the pertinent equilibrium.

Indicate the stress applied, the shift in equilibrium and the concentration changes of all reagents in the new equilibrium:

Equation:	<input style="width: 80%;" type="text"/>	+	<input style="width: 80%;" type="text"/>	\rightleftharpoons	<input style="width: 95%;" type="text"/> Bright Red
Stress:	<input style="width: 100%;" type="text"/>				
Shift:	<input style="width: 100%;" type="text"/>				
New Equilibrium: (Increased or decreased)	<input style="width: 80%;" type="text"/>	+	<input style="width: 80%;" type="text"/>	<input style="width: 95%;" type="text"/>	

Explain by completing the blanks:

An increase in the concentration of $[\text{Fe}^{3+}]$ shifts the equilibrium to the _____ toward the formation of the _____. As a result, the color _____ (fades or intensifies).

EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

Observation when SCN^- is added to $[\text{Fe}(\text{SCN})^{2+}]$ solution containing the $[\text{Fe}(\text{SCN})^{2+}]$ in equilibrium with the Fe^{3+} and the SCN^- ions (Test Tube # 3)

Write out the pertinent equilibrium.

Indicate the stress applied, the shift in equilibrium and the concentration changes of all reagents in the new equilibrium:

Equation:	<input type="text"/>	+	<input type="text"/>	\rightleftharpoons	<input type="text"/>
					Bright Red
Stress:	<input type="text"/>				
Shift:	<input type="text"/>				
New Equilibrium: (Increased or decreased)	<input type="text"/>	+	<input type="text"/>	<input type="text"/>	

Explain by completing the blanks:

An increase in the concentration of $[\text{SCN}^-]$ ions shifts the equilibrium to the _____ toward the formation of the _____. As a result, the color _____.

EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

Observation when OH^- is added to $[\text{Fe}(\text{SCN})^{2+}]$ solution containing the $[\text{Fe}(\text{SCN})^{2+}]$ in equilibrium with the Fe^{3+} and the SCN^- ions (Test Tube # 3)

Write out the pertinent equilibrium.

Indicate the stress applied, the shift in equilibrium and the concentration changes of all reagents in the new equilibrium:

Equation:	<input style="width: 80%;" type="text"/>	+	<input style="width: 80%;" type="text"/>	\rightleftharpoons	<input style="width: 95%;" type="text"/>
					Bright Red
Stress:	<input style="width: 100%;" type="text"/>				
Shift:	<input style="width: 100%;" type="text"/>				
New Equilibrium: (Increased or decreased)	<input style="width: 80%;" type="text"/>	+	<input style="width: 80%;" type="text"/>	<input style="width: 95%;" type="text"/>	

Explain by completing the blanks:

Adding OH^- _____ (increases, decreases) the number of moles of colored complex by consuming _____ to give _____ (formula)

EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

Observation when Ag^+ is added to $[\text{Fe}(\text{SCN})^{2+}]$ solution containing the $[\text{Fe}(\text{SCN})^{2+}]$ in equilibrium with the Fe^{3+} and the SCN^- ions (Test Tube # 5)


Write out the pertinent equilibrium.

Indicate the stress applied, the shift in equilibrium and the concentration changes of all reagents in the new equilibrium:

Equation:	<input style="width: 80%;" type="text"/>	+	<input style="width: 80%;" type="text"/>	\rightleftharpoons	<input style="width: 95%;" type="text"/>
					Bright Red
Stress:	<input style="width: 100%;" type="text"/>				
Shift:	<input style="width: 100%;" type="text"/>				
New Equilibrium: (Increased or decreased)	<input style="width: 80%;" type="text"/>	+	<input style="width: 80%;" type="text"/>		<input style="width: 80%;" type="text"/>

Explain by completing the blanks:

Equation:



Since the concentration of the SCN^- is , the equilibrium reaction in which the colored complex is present shifts to the and as such the number of moles of colored complex is (increased, decreased).

EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

III. Acid Base Equilibria

Observation when a few crystals of NH_4Cl are added to the pink NH_3 solution containing phenolphthalein.

Write out the pertinent equilibrium.

Indicate the stress applied, the shift in equilibrium and the concentration changes of all reagents in the new equilibrium:

Equation:	<input type="text"/>	+	<input type="text"/>	\rightleftharpoons	<input type="text"/>	+	<input type="text"/>
Stress: <input style="width: 100px;" type="text"/>						
Shift: <input style="width: 80px;" type="text"/>						
New Equilibrium: (Increased or decreased)	<input type="text"/>	+	<input type="text"/>		<input type="text"/>	+	<input type="text"/>

Explain by completing the blanks:

The presence of the _____ ions make the aqueous solution of NH_3 turn pink when phenolphthalein is added. The addition of NH_4Cl , a soluble salt, _____ (increases, decreases) the concentration of the _____ ions in the equilibrium system.

This causes the equilibrium to shift to the _____ which in turn decreases the concentration of the _____ ions. As a result the solution is no longer pink.

EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS

Observation when HCl is added to the pink NH_3 solution containing phenolphthalein.

Write out the pertinent equilibrium.

Indicate the stress applied, the shift in equilibrium and the concentration changes of all reagents in the new equilibrium:

Equation:	<input type="text"/>	+	<input type="text"/>	\rightleftharpoons	<input type="text"/>	+	<input type="text"/>
Stress:						<input type="text"/>
Shift:						<input type="text"/>
New Equilibrium: (Increased or decreased)	<input type="text"/>	+	<input type="text"/>		<input type="text"/>	+	<input type="text"/>

Explain by completing the blanks:

The addition of _____ ions (from HCl) _____ (increases, decreases) the concentration of the OH^- ions, since they react forming water as illustrated by the Net ionic Equation below:



The decrease in the concentration of the OH^- ions shifts the equilibrium to the _____
The concentration of OH^- ions formed in the new equilibrium is _____ (more, less) than that in the original equilibrium.

EXPERIMENT 4
THE EFFECT OF CONCENTRATION CHANGES ON EQUILIBRIUM SYSTEMS